



ΙΑΤΡΙΚΟΣ ΕΞΟΠΛΙΣΜΟΣ
ΑΝΑΛΩΣΙΜΑ

ΦΩΤΑ ΚΕΦΑΛΗΣ
ΛΟΥΠΕΣ



GIMA LED φώτα - 5W



Technical Specifications

- Illumination light spot at 420 mm: 20-80 mm
- Illumination in 200 mm working distance: = 85,000 lux
- Adjustable range
- Fluctuation distance: 12.5 mm
- Angle range: vertical $\pm 25^\circ$ adjustable
- Weight of headlight (excluding head band): 69 g
- Illumination source: extremely bright light, 5 W LED, life 20,000 hours
- Battery: 7.2 V / 4600 mAh lithium battery
- Battery run-time: not less than 7 hours continuous runtime on a fully charged battery (charging time: 5 h)
- Voltage: 110-240 VAC, 50-60 Hz
- Maximum input power: 15 W
- Power adapter output: DC 12 \pm 0.5 V, 1.5 A
- Electrical safety standard: IEC60601.1, class II type BF equipment

Τιμή: Επικοινωνήστε μαζί μας

RIESTER RI-FOCUS εμπρόσθιου φωτισμού LED με επαναφορτιζόμενες μπαταρίες



Technical Specifications

- Distance: 400 mm/200 mm
- Lux max: 10,000/23,000
- Circle of light max \varnothing : 200 mm/120 mm
- Circle of light min \varnothing : 40 mm/30 mm
- On/off switch on the battery compartment
- Removable and washable inner padding
- Weight: 210 g without batteries
- Made in Germany

Τιμή: Επικοινωνήστε μαζί μας

STYLE BINOCULAR LOUPE 2,5X - 340 χιλιοστά



Technical Specifications

- Magnification: 2.5X
- Working distance: 340 mm
- Field of view Ø: 80 mm

Τιμή: Επικοινωνήστε μαζί μας

ΣΕΤ HEINE BINOCULAR LOUPE 2,5X 340 χιλιοστά - C-000.32.355



Technical Specifications

- Weight: 42 g
- Eyepieces individually adjustable

Τιμή: Επικοινωνήστε μαζί μας

sf aid

Αισχύλου 83, Νίκαια

Τηλ.: 211 4112707 - 6939 080534, 6931 981515

E-mail: info@sfaid.gr - Site: www.sfaid.gr