



ΙΑΤΡΙΚΟΣ ΕΞΟΠΛΙΣΜΟΣ  
ΑΝΑΛΩΣΙΜΑ

## ΦΥΓΟΚΕΝΤΡΟΙ



## XC-2000 6 TUBES (4000rpm)



### Technical Specifications

- Power supply: 220V - 50 Hz
- Power: 80 W
- Speed: approx. 1000-4000 rpm (increased in increments of 500 rpm's)
- Timer: 1-60 min
- Capacity: 6 x 15 ml or 10 ml
- Max. RCF: 1790 g

**Τιμή:** Επικοινωνήστε μαζί μας

## ΦΥΓΟΚΕΝΤΡΟΣ UNIVERSAL 8 TUBES FIXED ROTOR (3300 rpm)

### Technical Specifications

- Nominal speed: 500-3300 rpm (step of 100 rpm)
- Normal RCF: 31-1364
- Maximum volume: 120 ml
- Maximum power: 12 W
- Fuse: 7.2 A
- Size: 27 x 37 x 37 cm

### Recommendations

- Whole blood
  - Speed: 3300
  - Time: 10 min
- Urine
  - Speed: 1800
  - Time: 5-10 min

**Τιμή:** Επικοινωνήστε μαζί μας



# ΦΥΓΟΚΕΝΤΡΟΣ UNIVERSAL 6 HORIZONTALLY PRIVOTING ROTOR (3300 rpm)



## Technical Specifications

- Nominal speed: 500-3300 rpm (step of 100 rpm)
- Normal RFC: 31-1364
- Maximum volume: 120 ml
- Maximum power: 12 W
- Fuse: 7.2 A
- Size: 27 x 37 x h 37 cm

## Recommendations

- Whole blood
  - Speed: 3300
  - Time: 10 min
- Urine
  - Speed: 1800
  - Time: 5-10 min

**Τιμή: Επικοινωνήστε  
μαζί μας**



Αισχύλου 83, Νίκαια  
Τηλ.: 211 4112707 - 6939 080534, 6931 981515  
E-mail: [info@sfaid.gr](mailto:info@sfaid.gr) - Site: [www.sfaid.gr](http://www.sfaid.gr)