



ΙΑΤΡΙΚΟΣ ΕΞΟΠΛΙΣΜΟΣ  
ΑΝΑΛΩΣΙΜΑ

ΝΕΦΕΛΟΠΟΙΗΤΕΣ



# Νεφελοποιητής ΕΟΛΟ Αμπούλας - εμβόλου



## Technical Specifications

- Operating voltage:
  - 230 V - 50/60Hz - 170VA
  - 110 V or 60Hz on request
- Operating pressure: 1.1 bar
- Air flow: 14 l/min
- Nebulization rate: 0.4 ml/min
- Particle size: < 5 μm
- Max Pressure: 2.5 bar
- Size 22 x 14.5 x 12 cm
- Weight: 1.7 kg
- Noise level: 55 db
- Class of risk: IIa
- Norms: Class II, Type B
- Made in Italy

**Τιμή: Επικοινωνήστε μαζί μας**

# Νεφελοποιητής CORSIA Αμπούλας - εμβόλου



## Technical Specifications

- Operating voltage: 220-230 V / 50-60 Hz
- Power consumption: 184 VA
- Max pressure: 250 kPa (2.5 bar)
- Air flow: 16 L/min
- Operating pressure: 130 kPa (1.30 bar)
- Operating air flow: 5.2 L/min at 130 kPa
- Nebulization rate: 0.50 mL/min with 4 ml solution
- MMAD: 3.25 μ
- GSD: 3.45 μ
- Size: 255 x 190 x h 105 mm
- Weight: 2.2 kg
- Noise level: approx 57 db
- Made in Italy

**Τιμή: Επικοινωνήστε μαζί μας**

# Νεφελοποιητής ΑΤΟΜΙΖΕΡ Αμπούλας - εμβόλου



## Technical Specifications

- Operating voltage: 230 V/50Hz
- Operating cycle: continuous
- Operating pressure:
  - speed 1: 45 kPa
  - speed 2: 60 kPa
- Air Flow:
  - speed 1: 8 l/min
  - speed 2: 11 l/min
- Nebulization rate:
  - speed 1: 0.2 ml/min
  - speed 2: 0.35 ml/min
- Particle size: 80% < 5 μm
- Max pressure: 1.85 bar / 185 kPa
- Weight: 1.4 kg
- Noise level: 56 db
- Class of risk: IIa
- Origin: Italy

**Τιμή:** Επικοινωνήστε μαζί μας



Αισχύλου 83, Νίκαια

Τηλ.: 211 4112707 - 6939 080534, 6931 981515

E-mail: [info@sfaid.gr](mailto:info@sfaid.gr) - Site: [www.sfaid.gr](http://www.sfaid.gr)